



TUTORIAL


THE COSMETIC CASE

Supplies:

- 35 x 22 cm of fabric (outside)
- 35 x 22 cm of fabric (inside)
- 35 x 22 cm of featherweight fusible interfacing, *just in case you use a light fabric for outside*
- 45 cm of trim (rick rack, piping, pompoms...)
- 20,5 x 10 cm of clear plastic
- Assorted thread
- Buttons


How to make it :

- Pin the pattern and cut :
 - 1x the inside fabric
 - 1x the outside fabric
 - 1x the featherweight fusible interfacing
- Iron the featherweight fusible interfacing on the wrong side of the outside fabric
- Fold the edge toward the inside (wrong sides together) and iron the first centimeter all around both fabric






- Pin the trim on the right side of the outside fabric, stop at the marks, sew on.




- Put the inside fabric on the outside fabric, sew on, following the first seam of the trim as a guide.

- Cut slits in the corners and a little one on each mark until the seam. Flip the flap over (and admire your work 😊)




- Fold right side together of the outside fabric and bring it into alignment with the flap. Pin and sew at 1 cm from the edge.






- the flap too. Put the plastic sheet into the layers, in the fold and pin, the plastic sheet is too small to get it flat so you need to pull a bit the fabric. Sew at 1cm from the edge. Cut both sides of the plastic sheet to reduce the seam allowance.



- Flip over the outside fabric and put the inside fabric inside. Sew on the top, 2 mm from the edge.



Congratulations, the cosmetic case is done !!! Now you have just to choose what kind of closure fits best if you want one !

